



Hollybrook Limited

Contractor: Hollybrook Limited Architect: Rolfe Judd Architecture Limited

Burwell Deakins Architects Limited

Location: Wandsworth, London

Balconies: 151 balcony lifts



History

Wandsworth has a rich history dating back to its mention in the Domesday Book of 1086. Named after the River Wandle, which flows into the Thames, Wandsworth was originally a small Saxon village, growing into an important industrial hub during the 17th and 18th centuries. The arrival of the railway in the 19th century transformed Wandsworth into a residential suburb, leading to rapid urban development, such as Hollybrook's new development of Victoria Works on Osiers Road – Willow Walk. An eclectic mix of commercial and residential, the site includes 151 balconies manufactured, supplied and streamlined by Sapphire.



Streamlined by Innovation, Delivered by Sapphire

Hollybrook's aspiration for Willow Walk was to use Modern Methods of Construction to move as much work off-site as possible by using a full through-the-wall balcony system. Hollybrook mentioned to us that they aspired to remove as many as six trades from on-site activity, opting for an offsite manufacturing process to reduce the workload on their busy Wandsworth site.

Their hurdle was being constrained by the precast concrete panels being used. Hollybrook required a balcony connection that would be safe, secure, and cost-effective while still allowing them to use the innovative wall panel system developed by Techrete.



At Sapphire, we have a long history of working with Techrete, having developed our new Clip-On® connection in collaboration with them and John Sisk & Son Ltd. We worked alongside Techrete to cast the balconies directly into the precast panels. Thanks to the way our anchors are developed, we can cast directly into precast wall panels, avoiding any penetration into the floor slab. Certain balcony types had larger projections than others so we agreed to implement a tie-wire connection on those projections to securely fasten the balconies to the building and avoid deflection.



NBS Specification

Willow Walk (Victoria Works, Osiers Road)

Manufacturer	Sapphire Balconies Ltd 11 Arkwright, Road Reading, RG2 0LU 0344 88 00 553 support@balconies.global www.balconies.global
Reference	Glide-On™ and Tie-Rod aluminium Cassette® balconies with vertical bar balustrades
Balcony anchor	Welded assembly – M24 top anchor and M16 lower anchor cast into RC wall panels by others. A2 grade stainless steel fixings with stainless steel shutter to the front and back of the anchor
Arms	2-piece galvanised steel
Casette® structure	Standard 400mm modular Cassette® balconies
Soffits	Polyester powder-coated aluminium-controlled draining soffits
Deck finish	Innova® decking fixed with hidden clips
Toprail	60 x 15 mm slimline profiled handrail, polyester powder coated
Guarding	40 x 12 mm vertical bar balustrades
Base fixing	Mechanically fixed to Cassette®
Fascias	6mm aluminium behind-vertical bar polyester powder coated fascia in gloss



Sapphire reserves the right to alter specifications and designs without prior notice. Most designs are owned / registered by Sapphire most of which are protected by registered designs, trademarks and patents. All details are given as guidance only and may vary according to project application.

© All rights reserved, no part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means and whether or not transiently, or incidentally to some other use of this publication) wit1the written permission of the copyright owner. Application for the copyright owner's permission to reproduce any part of this publication should be addressed to Sapphire.

All information has been carefully collated and efforts were made to ensure accuracy at the time of publication. Sapphire takes no responsibility for inaccuracies after the date of publication. MD050924SJE

- **** 0344 8800 553
- www.balconies.global
- ✓ support@balconies.global

Sapphire Balconies Ltd 11 Arkwright Road, Reading, RG2 OLU

